09/994,693 Search History Printout

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S92	445	"369"/\$7.ccls. and (flat with (laser ((light radiation) near3 (source emitter))))	USPAT	OR	ON	2005/09/16 14:26
S93	445	"369"/\$7.ccls. and ((flat with (laser ((light radiation) near3 (source emitter)))) same (flat with (laser ((light radiation) near3 (source emitter)))))	USPAT	OR	ON	2005/09/16 14:26
S94	0	"369"/\$7.ccls. and ((flat with (laser ((light radiation) near3 (source emitter)))) same ((upright standing) with (laser ((light radiation) near3 (source emitter)))))	USPAT	OR	ON	2005/09/16 14:26
S95	182	"369"/\$7.ccls. and ((horizontal with (laser ((light radiation) near3 (source emitter)))) same (vertical with (laser ((light radiation) near3 (source emitter)))))	USPAT	OR	ON	2005/09/16 14:26
S96	6	"369"/\$7.ccls. and (((horizontal near3 (optical emission)) with (laser ((light radiation) near3 (source emitter)))) same ((vertical near3 (optical emission)) with (laser ((light radiation) near3 (source emitter)))))	USPAT	OR	ON	2005/09/16 14:29
S97	20	"369"/\$7.ccls. and ((photo\$1detect\$3 ((light radiation photo) near2 (detect\$3 receiv\$3))) with (package hous\$3) with (seperate\$2 external\$2 outside))	USPAT	OR	ON	2005/09/16 15:58
S98	20	"369"/\$7.ccls. and ((photo\$1detect\$3 ((light radiation photo) near2 (detect\$3 receiv\$3))) with (package hous\$3 container) with (seperate\$2 external\$2 outside))	USPAT	OR	ON	2005/09/16 16:35
S99	28	"369"/\$7.ccls. and ((photo\$1detect\$3 ((light radiation photo) near2 (detect\$3 receiv\$3))) with (package hous\$3 container) with (attach\$3 external\$2 outside))	USPAT	OR	ON	2005/09/16 14:39
S10 0	12	"369"/\$7.ccls. and ((laser ((light radiation) near3 (source emitter))) with (mirror near3 (optional\$2 prefer\$4 alternat\$4)))	USPAT	OR	ON	2005/09/16 15:59

S10 1	14	"369"/\$7.ccls. and ((laser ((light radiation) near3 (source emitter))) with (mirror near3 (optional\$2 prefer\$4 alternat\$5)))	USPAT	OR	ON	2005/09/16 16:16
S10 2	12	"369"/\$7.ccls. and (((laser beam light) with (mirror near3 (optional\$2 prefer\$4 alternat\$5 "can" embodiment compact size))) same (hous\$3 packag\$3 container))	USPAT	OR	ON	2005/09/16 16:09
S10 3	1	"369"/\$7.ccls. and ((laser beam ((light radiation) near3 (source emitter))) with ((horizontal\$2 side\$1way\$1) near3 (emit\$4 emission output\$4)) with (optional\$2 prefer\$4 alternat\$5))	USPAT	OR	ON	2005/09/16 16:19
S10 4	2282	"369"/\$7.ccls. and ((laser beam ((light radiation) near3 (source emitter))) with ((reflect\$3 direct\$3) near3 (upwards vertical\$2 toward "in the direction of")))	USPAT	OR	ON	2005/09/16 16:20
\$10 5	32	"369"/\$7.ccls. and ((laser beam ((light radiation) near3 (source emitter))) with ((reflect\$3 direct\$3) near3 (upwards vertical\$2 toward "in the direction of")) with (optional\$2 prefer\$4 alternat\$5))	USPAT	OR	ON	2005/09/16 16:20
S10 6	122	"369"/\$7.ccls. and ((photo\$1detect\$3 ((light radiation photo) near2 (detect\$3 receiv\$3))) with ((position\$3 plac\$3 mov\$3 adjust\$3) near5 (optim\$7 maximiz\$5 best maxim\$4)))	USPAT	OR	ON	2005/09/16 16:40
S10 7	132	"369"/\$7.ccls. and ((photo\$1detect\$3 ((light radiation photo) near2 (detect\$3 receiv\$3))) with ((position\$3 plac\$3 mov\$3 adjust\$3) near5 (optim\$7 maximiz\$5 best maxim\$4 most)))	USPAT	OR	ON	2005/09/16 16:41
S10 8	37	"369"/\$7.ccls. and ((photo\$1detect\$3 ((light radiation photo) near2 (detect\$3 receiv\$3))) with ((position\$3 plac\$3 mov\$3 adjust\$3) near5 (optim\$7 maximiz\$5 best maxim\$4 most))) and (packag\$3 hous\$3 container)	USPAT	OR	ON	2005/09/16 17:01

S10 9	41	"369"/\$7.ccls. and ((photo\$1detect\$3 ((light radiation photo) near2 (detect\$3 receiv\$3))) with ((position\$3 plac\$3 mov\$3 adjust\$3) near5 (optim\$7 maximiz\$5 best maxim\$4 most) near4 (amplitude signal reception quantity quality)))	USPAT	OR	ON	2005/09/16 17:02
S11 0	22	"369"/\$7.ccls. and ((photo\$1detect\$3 ((light radiation photo) near2 (detect\$3 receiv\$3))) near5 ((position\$3 plac\$3 mov\$3 adjust\$3) near5 (optim\$7 maximiz\$5 best maxim\$4 most) near4 (amplitude signal reception quantity quality)))	USPAT	OR	ON	2005/09/16 17:06
S11 1	16	"369"/\$7.ccls. and ((photo\$1detect\$3 ((light radiation photo) near2 (detect\$3 receiv\$3))) near5 ((position\$3 plac\$3 mov\$3) near5 (optim\$7 maximiz\$5 best maxim\$4 most) near4 (amplitude signal reception quantity quality)))	USPAT	OR	ON	2005/09/16 17:06
S11 2	17	"369"/\$7.ccls. and ((photo\$1detect\$3 ((light radiation photo) near2 (detect\$3 receiv\$3))) near5 ((position\$3 plac\$3 mov\$3 locat\$3) near5 (optim\$7 maximiz\$5 best maxim\$4 most) near4 (amplitude signal reception quantity quality)))	USPAT	OR	ON	2005/09/16 17:07
S11 3	3	("6512608").URPN.	USPAT	OR	ON	2005/09/16 17:21